

## Release Notes 6.0.12.12

### OVERVIEW

This page contains information regarding our latest development update available for [download](#) on November 25, 2014. This version is bundled with VI Server 5.5.36 previously released.

- **VI Monitor (6.0.12.12)**
  - **Arabic and Spanish VI Monitor Support** – Requires language pack during installation.
  - **Ability to rotate camera image on Facility Map** - This allows user to select the position in which the camera is facing to accurately represent camera placement.
  - **Ability to display Alarm ID on Alarm in Facility Map** - This allows user to see the Alarm ID on the Facility Map during setup.
  - **Added Text Input Mode on Date/Time Picker** – This allows user to use either the clock or text input to search for recorded video.
  - **Filter/Search System Log Fields** – This allows users to make advance searches in System log for troubleshooting or informative search. Added ability to download the system log into Excel.
  - **Ability to use Camera default password during Auto Discovery** - This allows the user to automatically use the default credentials during the auto discovery process.
  - **LPR accuracy and report improvements**
  - **LPR feature - ability to view state if detected as an US plate**
  - **50+ stability enhancements and bug fixes**

Version Added	Manufacturer	Model	Features
5.5.36	Planet	ICA-HM620	H264 and JPEG Video Capture Audio Capture Motion Detection Camera Log Show Clock Set Compression Set FPS Flip 4x DI Capture 2x DO Trigger Pan/Tilt/Zoom/Focus Preset Set/Add/Delete WebClient JPEG Aux-AutoFocus
5.5.36	Panasonic (bug fix)	Applies to most Panasonic cameras when streaming H264 or MPEG4	Fixed an issue that prevented RTSP Digest Authentication from functioning correctly. The bug was introduced in 5.5.34.5.
5.5.36	Panasonic (bug fix)	Panasonic UID RTP	Fixed an issue that prevented streaming H264 video using the Panasonic UID RTP protocol. This bug was introduced in 5.5.34.5.
5.5.36	TVT	TD-9411E, TD-9411S, TD-9412E, TD-9412M, TD-9413E, TD-9421E, TD-9421M, TD-9422E, TD-9422M, TD-9423E, TD-9424M, TD-9431E, TD-9431T, TD-9432E, TD-9432T, TD-9433E, TD-9511E, TD-9511S, TD-9511M, TD-9513E, TD-9514E, TD-9514S, TD-9515E, TD-9515M, TD-9521E, TD-9521M, TD-9523E, TD-9524E, TD-9525E, TD-9525M, TD-9531E, TD-9531T, TD-9533E, TD-9534E, TD-9535E, TD-9535T	H264 Video Capture Audio Capture Motion Detection Camera Log Show Clock Set Resolution Set Compression Set FPS Flip Auto-Discovery
5.5.36	Zavio	P6210	H264, JPEG Video Capture Audio Capture Motion Detection Camera Log Show Clock Set Resolution Set Compression Set FPS Flip

			1x DI Number 1x DO Number Pan/Tilt/Zoom/Focus Preset Set/Recall/Delete WebClient JPEG Auto-Discovery
<b>5.5.36</b>	<b>Fine</b>	ACM-B3000 ACM-R3002 ACM-V3002 ACM-V3103	H264, MPEG4, JPEG Video Capture Motion Detection Camera Log Show Clock Set Resolution Set Compression Set FPS Flip 1x DI Capture 1x DO Trigger WebClient JPEG Auto-Discovery
<b>5.5.36</b>	<b>Pulse</b>	P10, P13, P30	H264 and JPEG Video capture Audio Capture Motion Detection Camera Log Show Clock Set Codec Set Resolution Set Compression Set FPS 1x DI Capture 1x DO Trigger WebClient JPEG
<b>5.5.36</b>	<b>Grandstream</b>	All supported cameras	Added Camera Logging support.
<b>5.5.36</b>	<b>DLink</b>	DCS-6004L	H264, MPEG4 and JPEG Video Capture Audio Capture Motion Detection Camera Log Set Codec Set Resolution Set Compression Set FPS Flip 2x DI Capture 1x DO Trigger Webclient JPEG
<b>5.5.36</b>	<b>DLink</b>	DCS-5615	H264, MPEG4 and JPEG Video Capture Audio Capture Motion Detection Camera Log Set Codec Set Resolution Set Compression Set FPS Flip 2x DI Capture

			1x DO Trigger Pan/Tilt/Zoom Preset Set/Recall/Delete Webclient JPEG
5.5.36	JVC	VN-H657	H264 and JPEG Video Capture Audio Capture Motion Detection Camera Log Set Codec Set Resolution Set Compression Set FPS 2x DI Capture 2x DO Trigger Pan/Tilt/Zoom Preset Set/Recall/Delete WebClient JPEG Auto Discovery AUX Auto-Focus
5.5.36	Sony	SNC-RZ30, Various Other Cameras	Fixed an issue where some Sony cameras could no longer capture JPEG Video. For the SNV-RZ30 (JPEG Only) this prevented the camera from working at all.
5.5.36	Advidia	A-47	Enabled Audio Capture for the Advidia A-47 camera.
5.5.36	IQeye	D30, D31, D32	Enabled Audio Capture for the specified IQeye cameras.
5.5.36	Panasonic	BB-HCM527 BB-HCM705	Enabled Audio Capture for the specified Panasonic cameras.
5.5.36	JVC	VN-H37, VN-H137, VN-H237  VN-H57, VN-H157, VN-H257	Added Camera Logging support to the JVC VN-H Series cameras.
5.5.36	Bosch	All Bosch cameras	Added Camera Logging support to all Bosch Cameras.
5.5.36	Bosch	AutoDome 7000 HD AutoDome 7000 IP Dinion IP imager 9000 MIC IP dynamic 7000 HD MIC IP starlight 7000 HD	H264, and JPEG Video Capture Audio Capture Motion Detection Camera Log Show Clock Set Resolution Set Compression Set FPS Flip 1x DI Capture 1x DO Trigger Pan/Tilt/Zoom/Focus/Shutter Preset Set/Recall WebClient JPEG Auto-Discovery

5.5.36	Bosch	Dinion IP 4000 Dinion IP 5000 Dinion IP 7000 Dinion IP Bullet 4000 Dinion IP Bullet 5000 Dinion IP Capture 5000 Dinion IP Starlight 8000 Bosch EX36-IP Flexidome 2000 Flexidome 4000 Flexidome 5000 Flexidome 7000 Flexidome Micro 2000 Flexidome IP Corner 9000 Bosch NDC-225 Bosch NDC-255 Bosch NDC-274 Bosch NDC-284 Bosch NDC-455 Bosch NDN-265 Bosch NEI-30 Tinyon IP 2000 Bosch VOT-320	H264, and JPEG Video Capture Audio Capture Motion Detection Camera Log Show Clock Set Resolution Set Compression Set FPS 1x DI Capture 1x DO Trigger WebClient JPEG Auto-Discovery
--------	-------	--	---