


## Release Notes – IP Server 6.2.10.7

### OVERVIEW

This document contains information regarding our latest development update with IP Server 6.2 and VI Monitor Client 6.2.10 available for download on July 2, 2015.

### VI Monitor

- **Region of Interest Clipping Feature** – This feature allows users to zoom into an area of recorded video to reduce the viewable scope in the exported clip.




- **Corridor View & Rotation Support for Panasonic Cameras** – This feature allows users to monitor an area that is more vertical than horizontal such as hallways, aisles, roads, and tunnels. This feature allows the user to see the video image in a 'portrait-shaped' stream. See example below.

#### Without Corridor Rotation



#### With Corridor Rotation



- Added **Legacy Function Key Support** including Full Screen Support
- Added **Legacy Reboot User Function** to Server Statistics
- VI Monitor and Web Client bug fixes

Version Added	Manufacturer	Model	Features
6.2.10	Advidia	A-55	Bug Fix : Web Client JPEG feature
6.2.10	IQeye	IQeye D61 IQeye D62 IQeye D63 IQeye D65	H264 and JPEG Video Capture Audio Capture Motion Detection VCA Camera Logging Show Clock Set Codec Set Resolution Set Compression Set FPS Flip 1x DI Capture 1x DO Trigger Web Client Jpeg Auto-Discovery
6.2.10	IQeye	IQeye M61 IQeye M62 IQeye M63 IQeye M65 IQeye8712	H264 and JPEG Video Capture Audio Capture Motion Detection VCA Camera Logging Show Clock Set Codec Set Resolution Set Compression Set FPS Flip 1x DI Capture 1x DO Trigger Web Client Jpeg Auto-Discovery AUX Auto-Focus
6.2.10	JVC	VN-H557	H264 and JPEG Video Capture Audio Capture Motion Detection Camera Log Set Codec Set Resolution Set Compression Set FPS 2x DI Capture 2x DO Trigger Pan/Tilt/Zoom Preset Set/Recall/Delete Web Client JPEG Auto-Discovery AUX Auto-Focus
6.2.10	Panasonic (Removed Support)	WV-SC397 WV-SC397A	Removed support for Panasonic WV-SC397, and Panasonic WV-SC397A.

6.2.10	Advidia	B-51	H264 and JPEG Video Capture Audio Capture Two-Way Audio Motion Detection Camera Logging Show Clock Set Codec Set Resolution Set Compression Set FPS Flip 1x DI Capture 1x DO Capture AUX Auto-Focus Web Client JPEG Auto-Discovery Zero License
6.2.10	IPS	IPS-332	H264 Video Capture Audio Capture Motion Detection Camera Logging Show Clock Set Resolution Set Compression Set FPS Pan/Tilt/Zoom/Focus/Iris Preset Set/Recall/Delete
6.2.10	IQeye	IQeye D55	Resolved an issue that prevented users from connecting to an IP Camera if the camera was configured as an IQeye D55. Users may now connect to IP Cameras configured as IQeye D55s. A work-around for users without this update is to configure the IP Camera as an IQeye D53.
6.2.10	Panasonic	BB-SP104W BL-VP101 BL-VP104 BL-VP104W	H264 and JPEG Video Capture Audio Capture Motion Detection Camera Logging Show Clock Set Resolution Set Compression Set FPS Flip Web Client JPEG Auto-Discovery Panasonic License
6.2.10	Panasonic	BL-VT164 BL-VT164W	H264 and JPEG Video Capture Audio Capture Motion Detection Camera Logging Show Clock Set Resolution Set Compression Set FPS Flip 3x DI Capture 1x DO Trigger

			Pan/Tilt/Zoom/Focus/Iris Preset Set/Recall/Delete Web Client JPEG Auto-Discovery Panasonic License
<b>6.2.10</b>	<b>Dahua (Bug Fix)</b>	DAHUA PTZ CAMERAS AND OEMS	Fixed an issue that caused Dahua cameras to Pan and Tilt at the lowest possible speed. Now the cameras should Pan and Tilt at the configured speed.
<b>6.2.10</b>	<b>Fine</b>	CDB-HD280	H264, MPEG4, and JPEG Video Capture Audio Capture Motion Detection Camera Log Set Resolution Set Compression Set FPS Flip 1xDI Capture 1xDO Trigger Web Client JPEG
<b>6.2.10</b>	<b>Winic (New Encoders)</b>	W-HCVR7204 W-HCVR7208 W-HCVR7416	H264 and JPEG Video Capture Audio Capture Motion Detection Camera Log Set Codec Set Compression Set FPS 1x DI Capture Pan/Tilt/Zoom/Focus/Iris Preset Set/Recall/Delete Web Client JPEG