

Release Notes – IP Server 6.2.14

OVERVIEW


This document contains information regarding our latest development update with IP Server 6.2 and VI Monitor Client 6.2.14 available for download on September 29, 2015.

VI Monitor

- Added Legacy Cycle Layout feature
- Review Thirty Second Playback Loop feature
- Secondary stream support for Panasonic Cameras
- Added secondary stream details to Live Camera Statistics
- Alarm URL Shortcut - This feature allows a URL to be launched from a configured button inside VI Monitor.
Registry Key required: HKLM\Software\Video Insight\Monitor Station\ (Buzzer Alarm = "www.google.com")
- Bug fixes

Web Client

- Motion Preview Thumbnail (BETA) - This new feature allows users to see a quick animated preview of the motion occurred in video playback.



MonitorCast Access Control

Version 3 is now available for download. Notable changes and features include:

- New User Interface Design
- Multisite Support
- Anti Passback Features
- Occupancy Control
- Active Directory User Integration
- Video Management Login User Integration
- Multiple Trigger Macro Support
- Facility Map with door status and state

Camera Integration

Version Added	Manufacturer	Model	Features
6.2.14	MileSight (New Cameras)	MS-C2162, MS-C2163 MS-C2172, MS-C2173 MS-C2191 MS-C3262 , MS-C3263 MS-C3272 MS-C3356 , MS-C3362 MS-C3366 , MS-C3372 MS-C3376 MS-C3556, MS-C3566 MS-C3567, MS-C3573 MS-C3576, MS-C3577 MS-C3581, MS-C3582 MS-C3586, MS-C3587 MS-C3596, MS-C3777 MS-C3862, MS-C3863 MS-C3872, MS-C3962, MS-C3963, MS-C3972	H264 and JPEG Video Capture Audio Capture Motion Detection Camera Log Show Clock Set Codec Set Resolution Set Compression Set FPS Rotate 90/180/270 1x DI Capture AUX Auto-Focus Web Client JPEG Auto-Discovery
6.2.14	Sony (New Features)	All 6 th Generation Sony Cameras	Added support for the following VCA behaviors to all Sony 6 th Generation Cameras: Intrusion Detection Passing Detection Left Object Detection Removed Object Detection Matching Behavior Detection
6.2.14	AIPHONE (New Camera)	IX-DA Video Door Station	H264 and JPEG Video Capture Audio Capture VCA Camera Logging 1x DO Trigger Notes: VCA is used to Capture Outgoing Call attempts. DO Trigger is used to unlock the door.
6.2.14	Dahua (New 360 Camera)	IPC-EBW81200	H264 and JPEG Video Capture Audio Capture Motion Detection

			<p>Camera Log Set Codec Set Compression Set FPS 1x DI Capture Web Client JPEG Auto-Discovery 360 De-Warp</p>
6.2.14	Wlnic (New 360 Camera)	IPC-EBW81200	<p>H264 and JPEG Video Capture Audio Capture Motion Detection Camera Log Set Codec Set Compression Set FPS 1x DI Capture Web Client JPEG Auto-Discovery 360 De-Warp</p>
6.2.14	IPPOWER (New Camera)	NIB-A2022	<p>H264 and JPEG Video Capture Motion Detection Web Client JPEG</p>
6.2.14	D-Link (New Fixed Cameras)	DCS-4602 DCS-4701	<p>H264, JPEG Video Capture Audio Capture Motion Detection Camera Log Set Resolution Set Compression Set Codec Set PFS Flip 2x DI Capture 1x DO Trigger Web Client JPEG</p>
6.2.14	D-Link (New PTZ Cameras)	DCS-5009	<p>H264, JPEG Video Capture Audio Capture Motion Detection Camera Log Set Resolution Set Compression Set FPS Flip</p>

			Pan/Tilt Preset Set/Recall/Delete Web Client JPEG
6.2.14	LG (New PTZ Cameras)	LG-LNP2810 LG-LNP3020 LG-LNP3022	H264 and JPEG Video Capture Audio Capture Motion Detection Camera Logging 2x DI Capture Pan/Tilt/Zoom/Focus Preset Set/Recall/Delete Web Client JPEG Auto-Discovery
6.2.14	Winic (Bug Fix)	W-HCVR7204 W-HCVR7208 W-HCVR7416	Resolved an issue where PTZ cameras attached to Winic NVRs would only function if connected to Channel Input 1. Now PTZ cameras will function if connected to any Channel Input on Winic NVRs.
6.2.14	Advidia (New Features)	A-14, A-15, A-34, A-34W, A-35, A-42, A-44, A-44-IR, A-44-OD, A-45, A-46, A-47 VFD300-IR-OD	Added support for Camera Logging. Added support for VCA for cameras with Firmware 5.3.0 and above.
6.2.14	Advidia (New Features)	VP-1, VP-4, VP-8, VP-16, VP-16L	Added support for Camera Logging.
6.2.14	Bridge VMS (New Features)	BEU-1, BEU-4, BEU-8, BEU-16, BEU-16L, CV1300-PH, FD-2000, MB1300-IR-OD, MB3000-IR-OD, MD1300-IR-OD, MD3000-IR-OD, SB2000-IR-OD, VFB3000-IR-OD, VFD3000-IR-OD	Added support for Camera Logging.
6.2.14	Veilux (New Cameras)	VBIP-2V-S VBIP-4V	H264 and JPEG Video Capture Audio Capture

		VMIP-13 VVIP-2V-S VVIP-2VW	Motion Detection Camera Logging Show Clock Set Resolution Set Compression Set FPS 1x DI Capture Web Client JPEG Auto-Discovery Zero-License
6.2.14	DVEO (New Cameras)	Sparky-E	H264 Video Capture Audio Capture Camera Logging
6.2.14	Advidia (New Features)	P-24 P-25	Added support for the following VCA features: Intruder Detection Loitering Detection Direction Detection Object Detection Cross Line Detection
6.2.14	Panasonic (New Features)	WV-SFN310, WV-SFN310J, WV-SFN311, WV-SFN311L, WV-SFN531, WV-SFN611L, WV-SFN631L WV-SFR310, WV-SFR311, WV-SFR531, WV-SFR611L, WV-SFR631L WV-SFV310, WV-SFV311, WV-SFV531, WV-SFV611L, WV-SFV631L, WV-SFV631LT WV-SPN310, WV-SPN311, WV-SPN531, WV-SPN611, WV-SPN631,	Added support for the following VCA features: Intruder Detection Loitering Detection Direction Detection Object Detection Cross Line Detection

		WV-SPW310, WV-SPW611, WV-SPW611J, WV-SPW611L, WV-SPW611LJ WV-SPW631L, WV-SPW631LJ WV-SPW631LT, WV-SPW631LTJ	
6.2.14	Advidia (New Feature)	P-24 P-25 P-240 P-3360-OD	Added support for HTTPS Streaming.
6.2.14	Panasonic (New Feature)	All H264 cameras, Excluding cameras that also support MPEG4.	Added support for HTTPS Streaming. Added Dual Streaming Support.
6.2.14	Bosch (New Encoders)	VideoJet Multi 4000 VIP X16 XF E	H264 and JPEG Video Capture Audio Capture Motion Detection Camera Log Show Clock Set Resolution Set Compression Set FPS Flip 1x DI Capture 1x Do Trigger Pan/Tilt/Zoom/Focus/Iris Preset Set/Recall Web Client JPEG Note: Channels 1-16 Supported. Note: Uses BOSCH PTZ Protocol.
6.2.14	VCS (New Encoder)	VCS Multi Encoder	H264 and JPEG Video Capture Audio Capture Motion Detection Camera Log Show Clock Set Resolution Set Compression Set FPS Flip 1x DI Capture

			1x Do Trigger Pan/Tilt/Zoom/Focus/Iris Preset Set/Recall Web Client JPEG Note: Channels 1-16 Supported. Note: Uses PELCO-D PTZ Protocol.
6.2.14	Advidia (New Cameras)	A-64 A-65	H264 Video Capture Two-Way Audio Dual Stream Motion Detection VCA Camera Log/Show Clock Set Resolution Set Compression Set FPS Flip 1xDI Capture 1xDO Trigger Web Client JPEG Auto-Discovery Zero-License AUX Auto-Focus
6.2.14	LG (New Cameras)	LG LNB3100 LG LNB5100 LG LNB5110 LG LNB5220 LG LNB7210 LG LND3110 LG LND3210 LG LND3220 LG LND5100 LG LND5110 LG LND5200 LG LND7210 LG LND7300 LG LNU3110 LG LNU3210 LG LNU3220 LG LNU5100 LG LNU5110 LG LNU7210 LG LNV5100 LG LNV5110 LG LNV7210	H264 and JPEG Video Capture Audio Capture Motion Detection Camera Log 1x DI Capture Web Client JPEG Auto-Discovery

		LG LNV7300	
--	--	------------	--