



Release Notes – Video Insight IP Server 7.4.2

Maintenance Release

OVERVIEW

This document contains information regarding our latest development update with IP Server 7.4.1 and VI MonitorPlus 7.4.2. Any customers using VI MonitorPlus 7.4.1 or older are recommended to upgrade to 7.4.2.

Check with your system administrator for upgrade details.

VI MonitorPlus: Recommended System Requirements

IP Server Version	VI MonitorPlus requires IP Server 7.0 or higher. VI Monitor users can connect to an upgraded server. VI Monitor is compatible with Version 7.0 Server, but Panasonic recommends using VI MonitorPlus.		
		VI Monitor	VI MonitorPlus
	IP Server V 6.X or prior	Compatible	Not Compatible
	IP Server V 7.X or higher	Compatible <i>(not recommended)</i>	Compatible
Processor/CPU	6th Generation or better Intel Core processor (3.1 GHz quad-core+)		
Memory	8GB+		
Network	1 Gb/s+		
Screen Resolution	1920 X 1080		

Improvements

- New Panasonic camera integrations: WV-S2270L, WV-S1570L, WV-S1570LNJ, WV-S2570L, WV-S2570LNJ .
- New Panasonic camera integrations: WV-X6533LN, WV-X6533LNJ, WV-S6532LN, WV-S6532LNJ.
- Transportation Module improvements.
- Recorded timeline improvements.
- Temporarily removed support for D-Link models DCS-6517 and 7517 as we continue to reintegrate new features that are available within a new firmware update. Affected users can retrieve Live/Recorded video from these cameras by utilizing ONVIF drivers within the software.

New Camera Integrations 7.4.2

Manufacturer	Model	Features Supported
Panasonic	Panasonic WV-S1570L Panasonic WV-S1570LNJ Panasonic WV-S2270L Panasonic WV-S2570L Panasonic WV-S2570LNJ Panasonic WV-X6533L	H265, H.265 and JPEG Video Capture Dual Streaming Motion Detection Audio Capture Show Clock Set Codec Set Resolution Set Compression Set Framerate Flip 8x DI Capture 16x DO Trigger Web Client JPEG Auto-Discovery Zero License VCA Edge Rec Auto Focus
Panasonic	Panasonic WV-X6533L Panasonic WV- X6533LN Panasonic WV- X6533LNJ Panasonic WV- X6532L Panasonic WV- X6532LN Panasonic WV- X6532LNJ	H.265, H.254 and JPEG Video Capture Dual Streaming Motion Detection Audio Capture Two-Way Audio PTZ Show Clock Set Codec Set Resolution Set Compression Set Framerate Flip 8x DI Capture 16x DO Trigger Pan/Tilt/Zoom/Focus Preset Set/Recall/Delete Web Client JPEG Auto-Discovery Zero License Edge Recording
Interlogix (Truvision)	Interlogix TVB-5501 Interlogix TVB-5502 Interlogix TVD-5305 Interlogix TVD-5306 Interlogix TVP-5101 Interlogix TVP-5102 Interlogix TVP-5103	H265, and JPEG Video Capture Dual Streaming Motion Detection Audio Capture Show Clock Set Codec Set Resolution Set Compression Set Framerate

		Flip 8x DI Capture 16x DO Trigger Web Client JPEG Auto-Discovery
Samsung	PNM-7000VD	H265 and H264 Video Capture Dual Streaming Motion Detection VCA Audio Capture Show Clock Set Codec Set Resolution Set Compression Set Framerate 1x DI Capture 1x DO Trigger Web Client JPEG
D-Link	DCS- 6517 DCS-7517	Temporarily removed camera model support