



Release Notes – Video Insight IP Server 7.5

Minor Release

OVERVIEW

This document contains information regarding our latest development update with IP Server 7.5 and VI MonitorPlus 7.5. Any customers using VI MonitorPlus 7.4.2 or older are recommended to upgrade to 7.5.

Check with your system administrator for upgrade details.

VI MonitorPlus: Recommended System Requirements

IP Server Version	VI MonitorPlus requires IP Server 7.0 or higher. VI Monitor users can connect to an upgraded server. VI Monitor is compatible with Version 7.0 Server, but Panasonic recommends using VI MonitorPlus.		
		VI Monitor	VI MonitorPlus
	IP Server V 6.X or prior	Compatible	Not Compatible
	IP Server V 7.X or higher	Compatible <i>(not recommended)</i>	Compatible
Processor/CPU	6th Generation or better Intel Core processor (3.1 GHz quad-core+)		
Memory	8GB+		
Network	1 Gb/s+		
Screen Resolution	1920 X 1080		

Improvements

- Scalability and performance improvements
 - Added multiple server selection to Login Page in VI Monitor Plus
 - Login Page design for wide screen optimization
- Integration with Optex Long Range Redscan Series RLS-3060L (See Supplemental Guide for more details)
- Live H.264 streaming support for WebAPI
- Live, Recorded and PTZ Support for Gallagher Command Centre 8.0
- LPR enhancements include importing license plate information and exporting reports
- New User Audit Reports
 - Camera Control
 - Camera Property Changes
 - Configuration for Maps
 - Configuration for Servers
 - Exporting Video Clip
 - Force Recording
 - Login/Out
 - Modules
 - Playback
 - Rules Changes
 - User Changes
 - View Changes

New Camera Integrations 7.5

Manufacturer	Model	Features Supported
Vitek	VTC-TNB4RMS	Video Capture H.264, H.265 Audio Capture Two-Way Audio Motion Detection Show Clock Set Resolution Set Compression Set Framerate Flip 2x DI Capture Pan/Tilt/Zoom Preset Set/Add Web Client JPEG Auto-Discovery
Vitek	VTC-TNB8RMS	Video Capture H.264, H.265 Audio Capture Two-Way Audio Motion Detection Show Clock Set Resolution Set Compression Set Framerate Flip 2x DI Capture Pan/Tilt/Zoom Preset Set/Add Web Client JPEG Auto-Discovery
Vitek	VT-TPTZ18HR-5N	Video Capture H.264 Audio Capture Two-Way Audio Motion Detection Show Clock Set Resolution Set Compression Set Framerate Flip 2x DI Capture Pan/Tilt/Zoom Preset Set/Add Web Client JPEG Auto-Discovery
Panasonic	WV-X6533LN	Added H.265 Support

		Pan/Tilt/Zoom
--	--	---------------